


KG




Pipes with socket SN 4 + SN 8 (KGEM)



DN/OD	d ₁ mm	s ₁ (SN 4) mm	s ₁ (SN 8) mm	D mm	t max.
110	110	3,2		128	76
125	125	3,2		145	82
160	160	4,0	5,0	183	100
200	200	4,9	6,3	226	120
250	250	6,1	7,8	287	140
315	315	7,7	9,8	355	160
400	400	9,8	12,3	445	190
500	500	12,2	15,0	567	220


DN/OD	Length mm	SN 4 art. no.	SN 8 art. no.
110	500	20000	
125	500	21000	
160	500	22000	
200	500	23000	
110	1000	20041	20095
125	1000	21010	
160	1000	22041	29550
200	1000	23041	29560
250	1000	-	24095
315	1000	-	25095
400	1000	-	26095
500	1000	-	27095
110	2000	20042	20096
110	3000	20043	20097
160	2000	22042	29551
200	2000	23042	29561
250	2000	-	24096
315	2000	-	25096
400	2000	-	26096
500	2000	-	27096
110	5000	20046	20098
110	6000	21030	20099
160	6000	22046	29554
200	6000	23046	29564
250	5000	-	24098
315	5000	-	25098
400	5000	-	26098
500	5000	-	27098

Bends SN 4 (KGB)




DN/OD	Degree	Z ₁ mm	L mm	art. no.
110	15°	8	84	28001
125	15°	15	83	28051
160	15°	32	88	28101
200	15°	26	133	23100
250	15°	19	170	24100
315	15°	23	198	25100
110	30°	14	85	28011
125	30°	18	94	28061
160	30°	40	135	28111
200	30°	49	160	23110
250	30°	37	189	24110
315	30°	47	221	25110
110	45°	29	89	28021
125	45°	36	97	28071
160	45°	47	120	28121
200	45°	65	177	23120
250	45°	57	209	24120
315	45°	72	246	25120
110	67°	40	104	28031
125	67°	51	115	28081
160	67°	96	170	28131
110	87°	69	123	28041
125	87°	72	137	28091
160	87°	64	142	28141
200	87°	105	245	23140
250	87°	132	283	24140
315	87°	166	340	25140

Glued socket SN 4 (KGAM)




DN/OD	L mm	art. no.
110	32	29661

Branch SN 4 (KGEA) 45°




DN/OD	Z ₁ mm	L ₁ mm	L ₂ mm	art. no.
110/110	27	226	201	28401
125/110	18	230	202	28411
125/125	22	242	220	28421
160/110	16	244	252	28431
160/125	19	266	248	28441
160/160	38	317	283	28451
200/110	17	280	271	20360
200/125	15	298	275	20370
200/160	20	337	327	20380
200/200	46	402	359	20390

Branch SN 4 (KGEA) 87°




DN/OD	Z ₁ mm	L ₁ mm	L ₂ mm	art. no.
110/110	55	186	142	28601
160/110	83	240	178	28611
160/125	94	255	192	28641
160/160	116	297	213	28651

Double socket SN 4 (KGMM)




DN/OD	Z mm	L mm	art. no.
110	3	105	29101
125	3	117	29111
160	3	138	29121
200	5	220	23200
250	5	250	24200

Sleeve socket SN 4 (KGU)



DN/OD	L mm	art. no.
110	105	29001
125	117	29011
160	138	29021
200	212	23180
250	250	24180
315	293	25180

Reducer SN 4 (KGR)



DN/OD	L ₁ mm	L ₂ mm	art. no.
160/110	46	118	29311
160/125	18	86	29321
200/160	48	143	29331

Technical changes reserved